



Bobcat®

One Tough Animal.

LPG FORKLIFTS

7-Series, Pneumatic, 2.0 to 3.5 ton capacity

🌐 Europe



ONE TOUGH ANIMAL

► OUR MISSION

We empower operators to accomplish more, while working in the toughest conditions and tightest situations. When our customers have the will, we provide the way.

INTRODUCTION

► BOBCAT'S HISTORY

In 1958, Melroe Manufacturing Company introduced a compact front-end loader that evolved quickly into the M400, the world's first true skid steer loader. The company soon adopted what became the world-famous 'Bobcat' brand – and its success paved the way for the global compact equipment industry we know today.



► YEARS OF EXPERIENCE

In 2021, Bobcat expanded its portfolio by acquiring Doosan Industrial Vehicle. This specialist in material handling equipment constructed its first forklift in 1968 and went on to establish a global presence with 400 dealers in 93 countries.



► BOBCAT TODAY


Bobcat is expanding its portfolio with the addition of forklifts and reach trucks for the material handling industry. Offering a comprehensive line-up that will meet all your intra-logistics needs. Bobcat forklifts and reach trucks are produced in our factory in Korea, while our premium quality warehouse equipment is made in Germany.



TOUGH, AGILE & SAFE

► **READY TO GIVE YOUR BUSINESS A LIFT**

Give your business a boost with an LPG forklift that ticks all the boxes: a high-performance, powerful, and efficient engine; smooth and variable controls; and a full suite of safety features—all in a machine that is rugged, dependable, and easy to service, with a low total cost of ownership.



► **ULTIMATE PRODUCTIVITY**

Get more done daily, thanks to the high-performance yet efficient HMC LP 2.4 L engine with 45.4 kW of power and 300 Nm torque, providing the best-in-class travel and lifting speeds.
P. 7



► **ALL-DAY COMFORT**

Experience a more comfortable shift with a range of standard quality-of-life features, including an ergonomic seat, easy-to-read instrument panel, ample leg room, anti-slip plate, and more.
P. 8



► **DRIVEN BY SAFETY**

Enjoy peace of mind provided by the machine's excellent all-around visibility, superb stability, and a full suite of safety features.
P. 10–11



► **MAXIMUM UPTIME**

Reduce your total cost of ownership by extending service intervals and utilizing high-quality Bobcat genuine parts and consumables, which contribute to smoother and longer-lasting machine performance.
P. 12–13



OUTSTANDING PRODUCTIVITY




▶ EXCELLENT VISIBILITY

Thanks to the precisely designed overhead guard with angled roof bars, low cowl height, and excellent visibility through the mast, you have the best view of the task at hand, enabling you to accomplish more every day.



▶ POWERFUL LPG ENGINE

The high-performance yet efficient HMC LP engine, with 45.4 kW of power, provides best-in-class travel and lifting speeds. A silent chain timing belt and an aluminum cylinder block design keep the noise level to a minimum.



▶ EFFORTLESS DIRECTIONAL CHANGES

The thoroughly tested powershift transmission controls the clutch oil pressure precisely, ensuring smooth shifts between forward and reverse. This careful control helps prevent transmission damage and makes the forklift stronger and longer-lasting.



▶ POWERFUL BRAKING POWER

Oil-cooled disc brakes offer outstanding stopping performance and extended durability with minimal maintenance. The brake systems are entirely sealed to safeguard against external contaminants, ensuring reliable operation.

COMFORT & CONTROLS



EASILY ADJUSTABLE SEAT & COLUMN
The premium suspension seat provides all-day comfort for long shifts and ample space for the operator. The seat and the steering wheel column are easy to adjust, allowing every operator to feel right at home in the cab.



DELUXE SUSPENSION SEAT
The deluxe suspension seat prioritizes operator comfort with an adjustable seat back, extended seat travel length, and front-side weight resistance. These features enable multiple adjustments for the most comfortable seating experience.



FULL OR MODULAR CABS
Equip your forklift with one of our factory-made cabs to conquer all weather conditions. Enhance comfort for all-day use by adding options such as a heater, operator fan, and power jack.



REAR CAMERA DISPLAY
Equip your machine with a rear camera that feeds into the in-cab display when in reverse, ensuring you always have the best view of your workplace without sacrificing comfort.

RADIO AND MP3 PLAYER



Add a radio and MP3 player to your cab to enjoy even the longest shifts.

WELL-PLACED HANDLES



Stepping in and out of your vehicle is quick and comfortable, thanks to the well-placed entry bar and handles.

ERGONOMIC CONTROLS



Thanks to the ergonomic design and perfect placement of control elements, operating this machine is as easy as can be.



SAFETY IN EVERY MOVE

▶ **ADVANCED PROTECTION FOR YOU AND YOUR OPERATION**

Bobcat forklifts have safety embedded in their DNA. Packed with tons of features that protect you and your investment, these machines provide peace of mind in every task, every day.

▶ **OPERATOR SENSING SYSTEM (OSS)**

The truck's travel and mast lifting functions stop when the operator leaves the seat, ensuring the forklift won't perform any unintended movements.



▶ **LIMP HOME MODE**

In the event of a critical issue, this feature enables the forklift to operate at reduced capacity, empowering operators to safely navigate to a designated area for inspection and repair.




▶ **INTERLOCKING 4TH LEVER**

The 4th lever will be locked until manually released by pressing the button on the lever. This guarantees load security, eliminating the risk of unintended release.



▶ **WEIGHT SCALE**

With our weight indicator or scale options, you know immediately if you are overloading your forklift.



▶ **SEAT BELT SEQUENCE INTERLOCK**

The operator must be seated with a fastened seat belt to operate the truck.



▶ **GROUND SPEED CONTROL**

To further enhance the safety of your truck and workplace, you can set up a speed limit to prevent the truck from going too fast. This limit can be customized for both forward and reverse directions.



▶ **LARGE PANORAMIC MIRROR**

By enhancing rear visibility, the large panoramic mirror improves safety conditions and boosts overall productivity.



▶ **POWERFUL LED LIGHTS**

The powerful LED lights can brighten even the darkest corners of your workplace, ensuring you're always aware of your surroundings.



BUILT TO LAST

► EXCELLENT RELIABILITY

Thanks to the powerful HMC engine, dust- and water-resistant parts, and shock-absorbing hydrostatic power steering, Bobcat's 7-Series LPG forklifts are built tough to provide you with maximum uptime and dependability.

Robust frame and overhead guard designed to withstand the demands of industrial environments and regular heavy use

Wide hood opening with hood locking cylinders, and a tool-less removable side panel for easy access to main components

Six roller carriage for superior strength and durability when handling wider and longer loads

J-Hook Mounts distribute weight evenly

No mechanical connections between the steering wheel and steer axle to prolong maintenance intervals

U-joint insulates powertrain from shock and vibration to reduce engine problems and leaks

Oil-cooled disc brakes (ODB) with a lifespan of up to 20 000 hours

Large capacity radiator and optimized airflow in the counterweight enhances reliability and durability

Durable cast iron housing for precise axle alignment and extended life, with a high-tensile alloy steel shaft to boost torque transmission

2 YEAR WARRANTY

► WARRANTY

Bobcat develops every machine to the highest standards of quality and durability. That's why our standard warranty provides 24 months or 2 000 operating hours (whichever occurs first) of coverage.

THERE'S NO TIME FOR DOWNTIME. STAND UP TO EVERY TASK THAT COMES YOUR WAY. DAY AFTER DAY.



► PROTECTION PLUS EXTENDED WARRANTY

Enjoy total peace of mind with Protection Plus extended warranty. Providing the same level of protection as the standard warranty, Protection Plus also reflects different customer needs and expectations by offering a choice of durations and annual operating hours.

► EXTENSIVE DEALER NETWORK

You can rely on our network of dealers and service partners who are always ready to help you.

► BOBCAT GENUINE PARTS

Quality components delivered to our dealers guarantee that all of our equipment is built to last, withstand the toughest conditions and provide reliable performance.

MAIN SPECIFICATIONS

TECHNICAL DATA ACCORDING TO VDI 2198						
MODEL		G20E-7	G25E-7	G30E-7	G33E-7	G35EC-7
Drive		LPG				
Load capacity (kg)	Q	2 000	2 500	3 000	3 250	3 500
Load center (mm)	c	500				
Load Distance: Center of Drive axle to fork (mm)	x	480		485		495
Wheelbase (mm)	y	1 625		1 700		
Service weight (kg)		3 585	3 965	4 390	4 565	4 770
Tread, front (mm)	b11	975		982		1 026
Tread, rear (mm)	b12	1 000				
Tilt of mast / fork carriage forward / backward (°)	α/β	1				
Height mast lowered (mm)	h1	1 850 – 3 150	1 850 – 3 150	1 565 – 3 140	1 565 – 3 140	1 565 – 3 140
Free lift (mm)	h2	147 – 2 240	147 – 2 240	152 – 2 190	152 – 1 950	152 – 1 770
Lift height (mm)	h3	2 580 – 8 250	2 580 – 8 250	2 030 – 8 250	2 030 – 6 010	1 800 – 3 140
Height, mast extended (mm)	h4	3 290 – 9 210	3 290 – 9 210	3 290 – 9 205	3 290 – 8 615	3 060 – 6 915
Height of overhead guard (mm)	h6	2 183				
Height of seat (mm)	h7	1 026				
Overall length (mm)	l1	3 565	3 630	3 744	3 744	3 809
Length to forkface (mm)	l2	2 530	2 595	2 700	2 730	2 765
Overall width (mm)	b1/b2	1 170		1 197		1 255
Fork dimensions (mm)	s/e/l	40 × 100 × 1 050		45 × 125 × 1 050		
Fork carriage width (mm)	b3	1 103		1 115		
Ground clearance, loaded below mast (mm)	m1	115		105		
Ground clearance, center of wheelbase (mm)	m2	143				
Aisle width for pallets 1 000 × 1 200 crossways (mm)	Ast	3 900	3 945	4 050	4 080	4 115
Aisle width for pallets 800 × 1 200 lengthways (mm)	Ast	4 100	4 145	4 250	4 280	4 315
External turning radius (mm)	Wa	2 220	2 265	2 365	2 395	2 420
Travel speed, loaded / unloaded (km/h)		19 / 20		18 / 19		
Lift speed, loaded / unloaded (mm/s)		550 / 570	540 / 570	520 / 570	540 / 590	530 / 590
Lowering speed, loaded / unloaded (mm/s)		510 / 460				
Max. drawbar pull, loaded / unloaded (kg)		2 009 / 1 963	2 059 / 1 984	2 109 / 2 044	2 099 / 2 048	2 019 / 1 957
Gradeability loaded / unloaded (@ 1.6 km/h) (%)		33.6 / 6.4	29.3 / 50.3	26 / 46.5	24.2 / 44.3	22 / 39.6
Max. gradeability loaded / unloaded) (%)		38.2 / 3.5	33.4 / 56.7	30 / 52.8	27.9 / 50.4	25.1 / 44.6
Service brake		foot / hydraulic				
Engine manufacturer / type		HMC / G424IE				
Engine power according to DIN ISO1585 (kW)		45.4				
Rated speed (min ⁻¹)		2 600				
Torque at 1/min (Nm)		179				
Number of cylinders / displacement (-/cm³)		4 / 2,359				
Sound level at the driver's ear according to EN 12 053 (dB(A))		84				


Note: Specification values quoted in this specification sheet have been rounded. Performance may vary depending on operating conditions. Products and specifications are subject to improvement and change without prior notice.

STANDARD EQUIPMENT & OPTIONS

STANDARD EQUIPMENT & OPTIONS		
SAFETY		
Operator Sensing System	✓	
Mast interlock – tilt, lift and lower	✓	
LED front lights	✓	
Panoramic and/or large rear-view mirror	✓	
Ground speed control	•	
Rear-view camera	•	
Strobe lights	•	
Blue safety lights	•	
Backup alarm	•	
4 th lever interlock	•	
Autoshift controller	•	
Weight indicator (hydraulic sensing type)	•	
Weight scale (load cell type)	•	
RELIABILITY		
Hydrostatic steering system	✓	
Oil-cooled disc brakes (ODB)	✓	
Tilt cylinder cover	✓	
Rigid drive-axle (large king pin)	✓	
Waterproof connectors	✓	
Dual element air cleaner	✓	
Pre-cleaner	•	
Radiator screen	•	
Vented side panel	•	
Under protection (belly plate)	•	
Engine guard	•	
Open core radiator	•	

STANDARD EQUIPMENT & OPTIONS		
PRODUCTIVITY		
High-powered, fuel-efficient engine	✓	
Emission Regulation Stage V	✓	
Auto tilt leveling	•	
Quick disconnect hose couplings	•	
SERVICEABILITY		
Tool-less side panel / floor plate	✓	
Junction box (centralized electric components)	✓	
Wide hood open angle	✓	
ERGONOMICS		
Excellent visibility	✓	
Large entry grip bar	✓	
Anti-slip step plate	✓	
Telescopic steering column	✓	
Modular Cab – Type A,B,C	•	
Full cab	•	
Additional sound suppression	•	
Rear grab bar with horn	•	
Document clip board	•	
Cup holder	•	
Cigar and power jack	•	
Heater	•	
Keyless ignition	•	
Operator fan	•	
Radio and MP3 player	•	
Low fuel indicator	•	
Suspension seat (with armrest and heating)	•	

*This list is based on factory data. Standard or optional can vary for specific countries. • = option ✓ = standard – = not available



FINANCING OPTIONS

24, 36, OR 48 MONTH FINANCING*

Take advantage of 24, 36 or 48 month financing programs starting from **0% interest** and improve your cashflow.

Ask your dealer for the financing offers available.


340 MACHINES / **150** ATTACHMENT FAMILIES / **1** TOUGH ANIMAL



**SKID-STEER
LOADERS**




**COMPACT TRACK
LOADERS**




**COMPACT WHEEL
LOADERS**



FORKLIFTS



TELEHANDLERS



ROTARY TELEHANDLERS



**LIGHT COMPACTION
EQUIPMENT**



**COMPACT
EXCAVATORS**



**COMPACT
TRACTORS**




**SMALL ARTICULATED
LOADERS**



**MINI TRACK
LOADER**



MOWERS



**PORTABLE
POWER**



ATTACHMENTS

DOOSAN

Bobcat is a Doosan Company. Doosan is a global leader in construction equipment, power & water solutions, engines, and engineering proudly serving customers and communities for more than a century. | Bobcat and the Bobcat logo are registered trademarks of Bobcat Company in the United States and various other countries. ©2024 Bobcat Company. All Rights Reserved.

www.bobcat.com

©2024 BOBCAT B4502650-EN (01-24)



Bobcat®

*Financing options may vary by country and dealer. Always ask your dealer about currently available financing options. Terms and conditions may apply.

Doosan Bobcat EMEA, U Kodelky 1810, 263 12 Dobříš, Czech Republic